

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	10/803896	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L3	3	("5819235" "6035282").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L4	3	"6615264".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L5	2	"5774551".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L6	2	2002/0073213	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L7	3	"20020073213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L8	24050	authentica\$4 same (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08

L9	1	10/819175	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L10	40150	correlat\$4 with (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L11	448	L8 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L12	3140	correlat\$4 with first with second with (authentica\$4 or ID or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L13	16470	search with second with (data or information or identif \$7 or authentica\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L14	216	L12 and L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L15	284	user authentica\$4 same (first and second) (information or user or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L16	15832	password and (biometrics or fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08

L17	327	first with password and second with (biometric or fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L18	4	(password or passcode) same (second authentication) same (roles or levels or rights) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L19	6	(first authentication) same (second authentication) same (roles or levels or rights) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L20	6	(first authentication) same ((second or subsequent authentication) same (role or level or right or priviledge) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L21	60	role based authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L22	10312	levels with authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L23	1157	(levels with authentication) and (password same biometric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L24	1	10/803896	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08

L25	3	("5819235" "6035282").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L26	3	"6615264".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L27	2	"5774551".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L28	2	2002/0073213	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L29	3	"20020073213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L30	24050	authentica\$4 same (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L31	1	10/819175	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L32	40150	correlat\$4 with (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08

L33	448	L30 and L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L34	3140	correlat\$4 with first with second with (authentica\$4 or ID or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L35	16470	search with second with (data or information or identif \$7 or authentica\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L36	216	L34 and L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L37	284	user authentica\$4 same (first and second) (information or user or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L38	15832	password and (biometrics or fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L39	327	first with password and second with (biometric or fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L40	4	(password or passcode) same (second authentication) same (roles or levels or rights) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08

L41	6	(first authentication) same (second authentication) same (roles or levels or rights) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L42	6	(first authentication) same ((second or subsequent) authentication) same (role or level or right or privilege) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L43	60	role based authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L44	10312	levels with authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
L45	1157	(levels with authentication) and (password same biometric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 05:08
S1	1	10/803896	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 14:39
S2	3	("5819235" "6035282").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 14:52
S3	3	"6615264".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 15:49

S4	2	"5774551".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 15:37
S5	2	2002/0073213	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 15:53
S6	2	"20020073213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 15:50
S7	17010	authentica\$4 same (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 15:54
S8	1	10/819175	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 15:55
S9	33507	correlat\$4 with (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 15:57
S10	295	S7 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 15:56
S11	2479	correlat\$4 with first with second with (authentica\$4 or ID or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:00

S12	12630	search with second with (data or information or identif \$7 or authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:02
S13	168	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:04
S14	200	user authenticat\$4 same (first and second) (information or user or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:07
S15	10759	password and (biometrics or fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:43
S16	216	first with password and second with (biometric or fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:44
S17	4	(password or passcode) same (second authentication) same (roles or levels or rights) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/27 16:59
S18	4	(first authentication) same (second authentication) same (roles or levels or rights) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/27 17:00
S19	4	(first authentication) same ((second or subsequent authentication) same (role or level or right or privilege) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/27 17:01

S20	46	role based authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/27 17:07
S21	8112	levels with authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/27 17:07
S22	908	(levels with authentication) and (password same biometric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/27 17:08
S23	1	10/803896	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S24	3	("5819235" "6035282").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S25	3	"6615264".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S26	2	"5774551".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S27	2	2002/0073213	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20

S28	3	"20020073213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S29	21973	authentica\$4 same (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S30	1	10/819175	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S31	37747	correlat\$4 with (first and second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S32	390	S29 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S33	2892	correlat\$4 with first with second with (authentica\$4 or ID or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S34	15207	search with second with (data or information or identif \$7 or authentica\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S35	192	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20

S36	267	user authentication\$4 same (first and second) (information or user or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S37	14262	password and (biometrics or fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S38	293	first with password and second with (biometric or fingerprint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S39	4	(password or passcode) same (second authentication) same (roles or levels or rights) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S40	4	(first authentication) same (second authentication) same (roles or levels or rights) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S41	4	(first authentication) same ((second or subsequent) authentication) same (role or level or right or privileged) same biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S42	53	role based authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
S43	9369	levels with authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20

S44	1061	(levels with authentication) and (password same biometric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 13:20
-----	------	--	---	-----	----	---------------------

1/ 5/ 2009 5:14:36 AM

C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10803896.wsp